



Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** MAGMA SYN ULTRA 5W-30

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture:** Lubricant

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica, 193 00

Tel.: 210 - 809 3900 Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

## 1.4 Emergency telephone number:



Emergency telephone number: 112

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

#### 2.2 Label elements

#### Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

## Hazard pictograms:



GHS07

Signal word: Warning

#### **Hazard statements:**

H319 Causes serious eye irritation.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

(Contd. on page 2)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SYN ULTRA 5W-30

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture

| Description: Whatare                 |                                                                                            |           |
|--------------------------------------|--------------------------------------------------------------------------------------------|-----------|
| Ingredients according Regu           | lation (EU) 830/2015:                                                                      |           |
| CAS: 72623-87-1<br>EINECS: 276-738-4 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified | 50-100%   |
| Index number: 649-483-00-5           | <b>♦</b> Asp. Tox. 1, H304                                                                 |           |
| CAS: 68649-42-3                      | Zinc alkyl dithiophosphate                                                                 | 0.1-≤2.5% |
| EINECS: 272-028-3                    | Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315                             |           |
|                                      | Calcium long-chainalkylphenate sulfide                                                     | 0.1-≤2.5% |
|                                      | Aquatic Chronic 4, H413                                                                    |           |
| CAS: 104-43-8                        | Phenol, 4-dodecyl-                                                                         | 0.1-<0.3% |
| EINECS: 203-202-9                    | Repr. 1A, H360F; Skin Corr. 1C, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410       |           |
| Ingredients                          |                                                                                            |           |

# Alkaryl amine Additional information:

The classification as a carcinogen does not need to apply because the substance Lubricating oils (petroleum), C20-50 hydrotreated neutral oil-based (cas number: 72623-87-1) contains less than 3 % DMSO extract.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information:** Take affected persons out into the fresh air. **After inhalation:** Seek medical treatment in case of complaints.

#### After skin contact:

Wash the skin immediately with soap and water.

If skin irritation continues, consult a doctor.

#### After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

## After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

(Contd. on page 3)

0.1 - < 2.5%

Aquatic Chronic 4, H413

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SYN ULTRA 5W-30

(Contd. of page 2)

### 4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

# 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

# 5.3 Advice for firefighters

## **Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with oxidising agents.

Avoid inhalation of vapors.

Wear protective equipment. Keep unprotected persons away.

# 6.1.1 For non-emergency personnel

Keep away from ignition sources.

Caution for slippery surfaces.

Avoid contact with skin and eyes.

# **6.1.2** For emergency responders

Use chemicals resistant gloves.

Use safety goggles, in case of contact with the eyes.

Use antistatic and slip resistant boots.

#### **6.2 Environmental precautions:**

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

# 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

## **Information about fire - and explosion protection:**

Keep away from sources of ignition and flammable materials.

(Contd. on page 4)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SYN ULTRA 5W-30

(Contd. of page 3)

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage:**

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

**Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### **8.2** Exposure controls

## **8.2.1.** Appropriate engineering controls Use of local ventilation is advised.

### Personal protective equipment

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

**Respiratory protection:** Not required.

Protection of hands:



Protective gloves

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

#### **Eye protection:**



Tightly sealed goggles

## **Body protection:**



Protective work clothing

**Environmental exposure controls:** No further recommendations. See section 6.

GB -

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SYN ULTRA 5W-30

**SECTION 9: Physical and chemical properties** 

(Contd. of page 4)

| 9.1 Information on basic physical a General Information | and chemical properties                       |
|---------------------------------------------------------|-----------------------------------------------|
| Appearance:                                             |                                               |
| Form:                                                   | Liquid                                        |
| Colour:                                                 | brown                                         |
| Odour:                                                  | Oil                                           |
| Odour threshold:                                        | Not determined                                |
| pH value:                                               | Not determined                                |
| Melting point/Melting range:                            | Not determined                                |
| <b>Boiling point/Boiling range:</b>                     | Not determined                                |
| Flash point:                                            | 220 °C                                        |
| Flammability (solid, gaseous):                          | Not applicable                                |
| Auto-ignition temperature:                              | Not determined                                |
| Decomposition temperature:                              | Not determined                                |
| Self-igniting:                                          | Product is not selfigniting.                  |
| Danger of explosion:                                    | Product does not present an explosion hazard. |
| Explosion limits:                                       |                                               |
| Lower:                                                  | Not determined                                |
| Upper:                                                  | Not determined                                |
| Oxidising properties                                    | Not considered as oxidising.                  |

Not determined 0.856 g/cm<sup>3</sup>

Not determined

Not determined

Not determined

Evaporation rate

Solubility in / Miscibility with

Vapour pressure:

**Relative density** 

Vapour density

**Density:** 

water:

aliphatic hydrocarbons:

aromatic hydrocarbons:

Fully miscible.

Fully miscible.

Partition coefficient (n-octanol/water): Not determined

**Viscosity:** 

**Dynamic:**Not determined

Kinematic at 40 °C:

Kinematic viscosity at 100 °C

Not determined
66,2 cSt
11,62 cSt

**9.2 Other information** No further relevant information available.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity Stable under normal conditions

**10.2 Chemical stability** Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

The product should not be exposed to high temperatures, sparks, flame and electrostatic charges.

(Contd. on page 6)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SYN ULTRA 5W-30

(Contd. of page 5)

Oxidising agents

**10.5** Incompatible materials No further relevant information available.

**10.6 Hazardous decomposition products** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

# 12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

## Recommendation

In case of dicarding waste oil, according European Directive 75/439/EEC, recycling of the product is recomended. Disposal of large amounts must carried out from qualified, authorized body.



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SYN ULTRA 5W-30

Contact manufacturer for recycling information.

(Contd. of page 6)

## **Uncleaned packaging:**

# Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

| SECTION 14: Transport information       |                 |  |
|-----------------------------------------|-----------------|--|
| 14.1 UN-Number                          | Void            |  |
| ADR, ADN, IMDG, IATA                    | Void            |  |
| 14.2 UN proper shipping name            | Void            |  |
| ADR, ADN, IMDG, IATA                    | Void            |  |
| 14.3 Transport hazard class(es)         | Void            |  |
| ADR, ADN, IMDG, IATA                    |                 |  |
| Class                                   | Void            |  |
| 14.4 Packing group                      | Void            |  |
| ADR, IMDĞ, IATA                         | Void            |  |
| 14.5 Environmental hazards:             | Not applicable. |  |
| 14.6 Special precautions for user       | Not applicable. |  |
| 14.7 Transport in bulk according to Ann | ex II of        |  |
| Marpol and the IBC Code                 | Not applicable. |  |
| UN "Model Regulation":                  | Void            |  |

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note L applies. DMSO content is below 3%.

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

# Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

## Other regulations, limitations and prohibitive regulations

# Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

(Contd. on page 8)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SYN ULTRA 5W-30

(Contd. of page 7)

**15.2** Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# Relevant phrases

- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H360F May damage fertility.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

#### **Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Repr. 1A: Reproductive toxicity, Hazard Category 1A Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4