

Printing date 13.04.2016

Version number 2

Revision: 15.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name: MAGMA SYN RNL 5W30

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture:** Lubricant

**1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:** LPC S.A. Megaridos Avenue 124 Aspropyrgos - Attica , 193 00 Tel.: 210 - 809 3900 Fax: 210 - 809 3999 e-mail: technical@cyclon.gr

### 1.4 Emergency telephone number:



Emergency telephone number: 112

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2 Label elements Labelling according to Regulation EC No 1272/2008 CLP: Void Hazard pictograms: Void

Signal word: Void

Hazard statements: Void
Additional information:
EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

**3.2 Chemical characterisation: Mixtures Description:** Mixture

(Contd. on page 2)

GB –

Printing date 13.04.2016

Version number 2

Revision: 15.03.2016

Trade name: MAGMA SYN RNL 5W30

		(Contd. of page 1)			
Ingredients according Regulation (EU) 830/2015:					
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified	25-50%			
CAS: 36878-20-3 EINECS: 253-249-4 Reg.nr.: 01-2119488911-28-XXXX	<ul> <li>Asp. Tox. 1, H304</li> <li>bis(nonylphenyl)amine</li> <li>Aquatic Chronic 4, H413</li> </ul>	0.1-≤2.5%			
CAS: 84605-29-8 EINECS: 283-392-8 Reg.nr.: 01-2119493626-26-XXXX	Phosphorodithioic acid, mixed esters , zinc salt Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin	0.1-<1%			
Reg.nr.: 01-2119498288-19-XXXX	C14-16-18 Alkyl phenol Skin Sens. 1B, H317; Aquatic Chronic 4, H413	0.1-<1%			

# Additional information:

The classification as a carcinogen does not need to apply because the substance Lubricating oils (petroleum), C20-50 hydrotreated neutral oil-based (cas number: 72623-87-1) contains less than 3 % DMSO extract. For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Seek medical treatment in case of complaints.

#### After skin contact:

Wash the skin immediately with soap and water.

If skin irritation continues, consult a doctor.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

#### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media
Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
5.2 Special hazards arising from the substance or mixture
In case of fire, the following can be released:
Carbon monoxide (CO)
Carbon dioxide (CO2)
5.3 Advice for firefighters
Protective equipment: Use of protective clothes and respiratory device is being recommended in case of fire.
Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

Printing date 13.04.2016

Version number 2

Revision: 15.03.2016

Trade name: MAGMA SYN RNL 5W30

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

# 6.1.1 For non-emergency personnel

Keep away from ignition sources.

Caution for slippery surfaces.

Avoid contact with skin and eyes.

# **6.1.2** For emergency responders

Use chemicals resistant gloves.

Use safety goggles, in case of contact with the eyes.

Use antistatic and slip resistant boots.

### **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Prevent from spreading (e.g. by damming-in or oil barriers).

Control leakage with a non combustible absorbent material, such us earth or sand.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

# 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

### Information about fire - and explosion protection:

Keep away from sources of ignition and flammable materials.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**8.2** Exposure controls

8.2.1. Appropriate engineering controls Use of local ventilation is advised.

Printing date 13.04.2016

### Version number 2

Revision: 15.03.2016

Trade name: MAGMA SYN RNL 5W30

Personal protective equipment

(Contd. of page 3)

General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Respiratory protection: Not required. Protection of hands:



Protective gloves

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material** 

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: Not required under normal conditions of use.

Body protection: Not required under normal conditions of use.

Environmental exposure controls: No further recommendations. See section 6.

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties				
General Information				
Appearance: Form:	Liquid			
Colour:	brown			
Odour:	Oil			
Odour threshold:	Not determined			
pH value:	Not determined			
Melting point/Melting range:	Not determined			
<b>Boiling point/Boiling range:</b>	Not determined			
Flash point:	220 °C			
Flammability (solid, gaseous):	Not applicable			
Auto-ignition temperature:	Not determined			
Decomposition temperature:	Not determined			
Self-igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined			
Upper:	Not determined			
Oxidising properties	Not considered as oxidising.			
Vapour pressure:	Not determined			
Density at 20 °C:	0.854 g/cm <sup>3</sup>			
Relative density	Not determined			
Vapour density	Not determined			
	(Contd. on pag	ze 5)		

nta. on page 5

Printing date 13.04.2016

Version number 2

Revision: 15.03.2016

Trade name: MAGMA SYN RNL 5W30

		(Contd. of pag
Evaporation rate	Not determined	
Solubility in / Miscibility with		
water:	Not miscible	
aliphatic hydrocarbons:	Fully miscible.	
aromatic hydrocarbons:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic at 40 °C:	70,8 cSt	
Kinematic viscosity at 100 °C	12 cSt	
9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

10.1 Reactivity Stable under normal conditions

**10.2 Chemical stability** Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

**10.4 Conditions to avoid** Oxidising agents

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

### Additional ecological information:

General notes: Not known to be hazardous to water.

(Contd. on page 6)

(Contd. of page 5)

### Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 13.04.2016

Version number 2

Revision: 15.03.2016

Trade name: MAGMA SYN RNL 5W30

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

#### vPvB: Not applicable. 12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

### Recommendation

In case of dicarding waste oil, according European Directive 75/439/EEC, recycling of the product is reccomended. Disposal of large amounts must carried out from qualified, authorized body.



Dispose according to National Regulations.

Contact manufacturer for recycling information.

# Uncleaned packaging:

### Recommendation:

Disposal must be made according to official regulations. Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void Void	
14.3 Transport hazard class(es)	Void	
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
UN "Model Regulation":	Void	
		GB

(Contd. on page 7)

Printing date 13.04.2016

Version number 2

Revision: 15.03.2016

Trade name: MAGMA SYN RNL 5W30

(Contd. of page 6)

#### **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Note L applies. DMSO content is below 3%. REACH Regulation 1907/2006/EC Regulation (EU) 2015/830 CLP Regulation 1272/2008/EC Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)registered from their suppliers.

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

#### Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

#### **Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

#### \* Data compared to the previous version altered.

GB