

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** MAGMA SYN ULTRA-S 0W20**Description / Product Code:** FORMULA ID: 51**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture: Lubricant**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Company responsible for the placing on the market:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica , 193 00

Tel.: 210 - 809 3900

Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

1.4 Emergency telephone number:

European Emergency Tel.: 112

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms: Void**Signal word:** Void**Hazard statements:**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

GB

(Contd. on page 2)

Safety data sheet
 complying with Regulation 1907/2006/EC (REACH Regulation),
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021





Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 1)

*

SECTION 3: Composition/information on ingredients
3.2 Mixtures
Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5 Reg.nr.: 01-2119474889-13-XXXX	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	<90%
	 Asp. Tox. 1, H304	
CAS: 36878-20-3 EINECS: 253-249-4 Reg.nr.: 01-2119488911-28-XXXX	Bis(nonylphenyl)amine	≤2.5%
	Aquatic Chronic 4, H413	
CAS: 121158-58-5 EC number: 310-154-3 Index number: 604-092-00-9 Reg.nr.: 01-2119513207-49-XXXX	phenol, dodecyl-, branched	≥0.025-<0.25%
	 Repr. 1B, H360F;  Skin Corr. 1C, H314; Eye Dam. 1, H318;  Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	

Additional information:

The classification as a carcinogen does not need to apply because the substance Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1) contains less than 3% DMSO extract (Note L). For the wording of the listed hazard phrases refer to section 16.

*

SECTION 4: First aid measures
4.1 Description of first aid measures
General information: Take affected persons out into the fresh air.

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician. Seek medical treatment in case of complaints.

After skin contact:

Remove contaminated clothing.
 In case of skin irritation, consult a physician.

After eye contact:

Rinse eyes immediately with plenty of water, alternately lifting the upper and lower eyelids. Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.
 Seek immediate medical advice.
 Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

GB

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 2)

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray.
Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

In a fire nitrogen oxides (NO_x), carbon monoxide (CO), sulfur dioxide (SO₂) can be released.

5.3 Advice for firefighters**Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Particular danger of slipping on leaked/spilled product.

Avoid contact with oxidising agents.

Wear protective equipment. Keep unprotected persons away.

6.1.1 For non-emergency personnel

Caution for slippery surfaces.

Avoid contact with skin and eyes.

Avoid contact with dripping or leaking material

6.1.2 For emergency responders

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Avoid contact with skin, eyes and clothing.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 3)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls**8.2.1. Appropriate engineering controls**

During the use of this product no appropriate engineering controls are needed.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection:

In case of insufficient ventilation use respiratory device.

Hand protection

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection

Goggles recommended during refilling

(Contd. on page 5)

GB

Safety data sheet
 complying with Regulation 1907/2006/EC (REACH Regulation),
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 4)

Body protection:


Protective work clothing

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties
General Information

Colour:	brown
Odour:	Not determined
Odour threshold:	Not determined
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	>200 °C
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined
pH	Not determined
Viscosity:	
Kinematic viscosity at 40 °C	42.2 mm ² /s
Kinematic viscosity at 100 °C	8.2 mm ² /s
Dynamic:	Not determined
Solubility	
water:	Not miscible
halogenated solvents	
aliphatic hydrocarbons:	Fully miscible.
aromatic hydrocarbons:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not determined
Density and/or relative density	
Density:	0.834 kg/m ³
Relative density	Not determined
Vapour density	Not determined

9.2 Other information

Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	Not determined
Explosive properties:	Product does not present an explosion hazard.
Cloud point / clarification point:	
Oxidising properties	Not considered as oxidising.

(Contd. on page 6)

Safety data sheet
 complying with Regulation 1907/2006/EC (REACH Regulation),
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 5)

Evaporation rate	Not determined
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity** Stable under normal conditions
- 10.2 Chemical stability** Material is stable under normal conditions.
- Thermal decomposition / conditions to be avoided** Stable at environment temperature.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials** No further relevant information available.
- 10.6 Hazardous decomposition products** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

(CAS: 72623-87-1) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

LD50, oral, rat: > 5000 mg/kg

LD50, dermal, rabbit: > 2000 mg/kg

LC50 (4h), inhalation, rat: ≥ 5.53 mg/l (dust/mists)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause skin sensitisation.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 6)

Aspiration hazard Based on available data, the classification criteria are not met.**Additional toxicological information:****Repeated dose toxicity** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

CAS: 121158-58-5 phenol, dodecyl-, branched

List II

*** SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:**

(CAS: 121158-58-5) phenol, dodecyl-, branched

Toxicity to invertebrates

EC50 (48h): 0.037 mg/l

* read-across data from similar material

Toxicity to invertebrates

EC50 (48h): ≤1 mg/l

* read-across data from similar material

(CAS: 36878-20-3) Bis(nonylphenyl)amine

Toxicity to invertebrates

EC50 (48h): 733 mg/l

Toxicity to algae

EC50 (72h, growth rate): 600 mg/l

Toxicity to fish

LC50 (96h): >10,000 mg/l

(CAS: 72623-87-1) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

LC50, fish: >100 mg/l

12.2 Persistence and degradability No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**12.7 Other adverse effects**

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

Remark: Harmful to fish**Additional ecological information:****General notes:**

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

GB

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 7)

*** SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Waste disposal key: 13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Void

*** SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 8)

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations**Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H360F May damage fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Version number of previous version: 1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 10)



Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 0W20

(Contd. of page 9)

Repr. 1B: Reproductive toxicity – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

*** Data compared to the previous version altered.**

GB