



Printing date 15.04.2016 Version number 1 Revision: 15.04.2016

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: GRANIT SYN EURO DXL 5W-30

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture:** Lubricant

# 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:** 

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica, 193 00

Tel.: 210 - 809 3900 Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

# 1.4 Emergency telephone number:



Emergency telephone number: 112

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



Eye Irrit. 2 H319 Causes serious eye irritation.

#### 2.2 Label elements

#### Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms:



GHS07

Signal word: Warning

#### **Hazard statements:**

H319 Causes serious eye irritation.

#### **Precautionary statements**

P102 Keep out of reach of children.

(Contd. on page 2)

Printing date 15.04.2016 Version number 1 Revision: 15.04.2016

**Trade name:** GRANIT SYN EURO DXL 5W-30

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture: consisting of the following components.

Ingredients according Regulation (EU) 830/2015:		
CAS: 72623-87-1 EINECS: 276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	50-100%
Index number: 649-483-00-5	Baseoil - unspecified	
	♦ Asp. Tox. 1, H304	
CAS: 68037-01-4	Dec-1-ene, homopolymer, hydrogenated	10-<25%
NLP: 500-183-1	♦ Asp. Tox. 1, H304	
CAS: 93819-94-4 EINECS: 298-577-9	Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	0.1-≤2.5%
	Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	

#### Additional information:

The classification as a carcinogen does not need to apply because the substance Lubricating oils (petroleum), C20-50 hydrotreated neutral oil-based (cas number: 72623-87-1) contains less than 3 % DMSO extract.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

#### After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

#### After skin contact:

Wash the skin immediately with soap and water.

If skin irritation continues, consult a doctor.

#### After eve contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

#### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

(Contd. on page 3)

Printing date 15.04.2016 Version number 1 Revision: 15.04.2016

**Trade name:** GRANIT SYN EURO DXL 5W-30

(Contd. of page 2)

#### 4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam.

# 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon dioxide (CO2)

Carbon monoxide (CO)

# 5.3 Advice for firefighters

#### **Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### **6.1.1 For non-emergency personnel**

Caution for slippery surfaces.

Keep away from ignition sources.

Avoid contact with skin and eyes.

# **6.1.2** For emergency responders

Use safety goggles, in case of contact with the eyes.

Use antistatic and slip resistant boots.

Stop further leakage, if possible.

Use chemicals resistant gloves.

Wear protective equipment. Keep unprotected persons away.

# **6.2 Environmental precautions:**

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

#### **6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Avoid contact with the eyes.

**Information about fire - and explosion protection:** Keep away from heat, sparks, open flames and hot surfaces.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. on page 4)

Printing date 15.04.2016 Version number 1 Revision: 15.04.2016

Trade name: GRANIT SYN EURO DXL 5W-30

(Contd. of page 3)

**Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

# Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### 8.2 Exposure controls

# 8.2.1. Appropriate engineering controls

It is recommended that the product is stored and handled in closed systems.

# Personal protective equipment

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Respiratory protection: Not required.

**Protection of hands:** 



Protective gloves

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

# **Eye protection:**



Tightly sealed goggles

# **Body protection:**



Protective work clothing

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties General Information

**Appearance:** 

Form: Liquid

(Contd. on page 5)

Printing date 15.04.2016 Version number 1 Revision: 15.04.2016

Trade name: GRANIT SYN EURO DXL 5W-30

	(Contd. of page
Colour:	brown
Odour:	Oil
Odour threshold:	Not determined
pH value:	Not determined
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Flash point:	215 °C
Flammability (solid, gaseous):	Not applicable
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Oxidising properties	Not considered as oxidising.
Vapour pressure:	Not determined
Density:	$0.855 \text{ g/cm}^3$
Relative density	Not determined
Vapour density	Not determined
Evaporation rate	Not determined
Solubility in / Miscibility with	
water:	Not miscible
aliphatic hydrocarbons:	Fully miscible.
aromatic hydrocarbons:	Fully miscible.
Partition coefficient (n-octanol/water)	: Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic at 40 °C:	67 cSt
Kinematic viscosity at 100 °C	11,5 cSt
9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity Stable under normal conditions
- **10.2** Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid Oxidising agents
- **10.5 Incompatible materials** No further relevant information available.
- 10.6 Hazardous decomposition products No dangerous decomposition products known.

Printing date 15.04.2016 Version number 1 Revision: 15.04.2016

Trade name: GRANIT SYN EURO DXL 5W-30

(Contd. of page 5)

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eve damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Aquatic toxicity:**

#### 93819-94-4 Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)

LC50-96h 4.5 mg/l (Con)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

#### 12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

In case of dicarding waste oil, according European Directive 75/439/EEC, recycling of the product is recomended. Disposal of large amounts must carried out from qualified, authorized body.



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Printing date 15.04.2016 Version number 1 Revision: 15.04.2016

Trade name: GRANIT SYN EURO DXL 5W-30

Contact manufacturer for recycling information.

(Contd. of page 6)

#### **Uncleaned packaging:**

# **Recommendation:**

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

<b>SECTION 14: Transport information</b>		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

#### Other regulations, limitations and prohibitive regulations

# Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

(Contd. on page 8)

Printing date 15.04.2016 Version number 1 Revision: 15.04.2016

Trade name: GRANIT SYN EURO DXL 5W-30

(Contd. of page 7)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

#### **Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

GB