



Printing date 18.05.2016 Version number 1 Revision: 18.05.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: HYDRAULIC ZF 68

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No relevant identified uses the chemical product is exempted from REACH Regulation, 1907/2006/EC.

**Application of the substance / the mixture:** Lubricant

## 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:** 

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica, 193 00

Tel.: 210 - 809 3900 Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

## 1.4 Emergency telephone number:



Emergency telephone number: 112

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation EC No 1272/2008 CLP:

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

#### 2.2 Label elements

#### Labelling according to Regulation EC No 1272/2008 CLP:

Not applicable. The product is not classified according to Regulation (EC) No 1272/2008.

Hazard pictograms: Not applicable. The product is not classified according to Regulation (EC) No 1272/2008.

Signal word: Not applicable. The product is not classified according to Regulation (EC) No 1272/2008.

Hazard statements: Not applicable. The product is not classified according to Regulation (EC) No 1272/2008.

#### **Precautionary statements**

Not applicable. The product is not classified according to Regulation (EC) No 1272/2008.

2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

GB ·

Printing date 18.05.2016 Version number 1 Revision: 18.05.2016

Trade name: HYDRAULIC ZF 68

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

## 3.2 Chemical characterisation: Mixtures

#### **Description:**

Mixture consisting of substances below the concentration limits set out in Regulation (EU) 2015/830.

Ingredients according Regulation (	EU) 830/2015:	
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic	50-100%
CAS: 68442-68-2 EINECS: 270-485-3	Benzenamine, N-phenyl-, styrenated Aquatic Chronic 3, H412	0.1-<1%
CAS: 128-39-2 EINECS: 204-884-0 Reg.nr.: 01-2119490822-33-XXXX	2,6-di-tert-butylphenol Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315	0.1-<0.25%
CAS: 268567-32-4 ELINCS: 434-070-2 Reg.nr.: 01-2119658068-31-XXXX	propanoic acid, 3-[[bis(2-methylpropoxy)phosphinothioyl] thio]-2-methyl-(9CI)  Eye Dam. 1, H318; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<0.1%
CAS: 80584-90-3 EINECS: 279-503-4 Reg.nr.: 01-2119982395-25-XXXX	N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	<0.1%
CAS: 64742-48-9 EINECS: 265-150-3 Index number: 649-327-00-6	Naphtha (petroleum), hydrotreated heavy  Flam. Liq. 3, H226; Asp. Tox. 1, H304	<0.01%
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5	diphenylamine  ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT RE 2, H373; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<0.01%

#### Additional information:

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract. For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

**General information:** Take affected persons out into the fresh air. **After inhalation:** Seek medical treatment in case of complaints.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

## After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

## After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

(Contd. on page 3)

Printing date 18.05.2016 Version number 1 Revision: 18.05.2016

Trade name: HYDRAULIC ZF 68

(Contd. of page 2)

#### 4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam.

## 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

**Protective equipment:** Mouth respiratory protective device.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with oxidising agents.

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

## **6.1.1** For non-emergency personnel

Keep away from ignition sources.

Caution for slippery surfaces.

Avoid contact with skin and eyes.

#### **6.1.2** For emergency responders

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

## **6.2 Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Prevent from spreading (e.g. by damming-in or oil barriers).

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

#### **6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Observe the general safety regulations when handling chemicals.

## Information about fire - and explosion protection:

Keep away from sources of ignition and flammable materials.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

(Contd. on page 4)

Printing date 18.05.2016 Version number 1 Revision: 18.05.2016

Trade name: HYDRAULIC ZF 68

(Contd. of page 3)

Requirements to be met by storerooms and receptacles: Store in a cool location.

**Information about storage in one common storage facility:** Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

## 8.2 Exposure controls

**8.2.1.** Appropriate engineering controls Use of local ventilation is advised.

#### Personal protective equipment

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

**Respiratory protection:** Not required.

Protection of hands:



Protective gloves

## Oil resistant gloves

#### Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. **Eye protection:** 



Safety glasses

#### **Body protection:**



Protective work clothing

Oil resistant protective clothing

**Environmental exposure controls:** No further recommendations. See section 6.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

**Odour:** 

Form: Liquid
Colour: brown
Fair yellow

Oil

(Contd. on page 5)

Printing date 18.05.2016 Version number 1 Revision: 18.05.2016

Trade name: HYDRAULIC ZF 68

		(Contd. of p
Odour threshold:	Not determined	
pH value:	Not determined	
Melting point/Melting range:	Not determined	
<b>Boiling point/Boiling range:</b>	Not determined	
Flash point:	240 °C	
Flammability (solid, gaseous):	Not applicable	
Auto-ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
<b>Explosion limits:</b>		
Lower:	Not determined	
Upper:	Not determined	
Vapour pressure:	Not determined	
Density:	0,882 g/cm <sup>3</sup>	
Relative density	Not determined	
Vapour density	Not determined	
<b>Evaporation rate</b>	Not determined	
Solubility in / Miscibility with		
water:	Not miscible	
aliphatic hydrocarbons:	Fully miscible.	
aromatic hydrocarbons:	Fully miscible.	
Partition coefficient (n-octanol/water	er): Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic at 40 °C:	68 cSt	
Kinematic viscosity at 100 °C	8,7 cSt	
9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

**10.2** Chemical stability Material is stable under normal conditions.

## Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

#### 10.4 Conditions to avoid

Avoid heat, sparkles, naked flame or other sources of ignition.

Oxidising agents

**10.5 Incompatible materials** No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

Printing date 18.05.2016 Version number 1 Revision: 18.05.2016

Trade name: HYDRAULIC ZF 68

(Contd. of page 5)

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eve damage/irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.

In case of dicarding waste oil, according European Directive 75/439/EEC, recycling of the product is recomended. Disposal of large amounts must carried out from qualified, authorized body.

#### **Uncleaned packaging:**

#### **Recommendation:**

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

GB

Printing date 18.05.2016 Version number 1 Revision: 18.05.2016

Trade name: HYDRAULIC ZF 68

(Contd. of page 6)

SECTION 14: Transport information		
14.1 UN-Number	Void	
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name	Void	
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)	Void	
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group	Void	
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	nex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Note L applies. DMSO content is below 3%.

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

## Other regulations, limitations and prohibitive regulations

## Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 8)

Printing date 18.05.2016 Version number 1 Revision: 18.05.2016

Trade name: HYDRAULIC ZF 68

H331 Toxic if inhaled.

(Contd. of page 7)

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

GB