



Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: NAUTILUS VLS/25 SAE 50

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica, 193 00

Tel.: 210 - 809 3900 Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS07

Signal word: Warning

Hazard-determining components of labelling:

Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivatives, calcium salts (2:1)

Hazard statements:

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS VLS/25 SAE 50

(Contd. of page 1)

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3	Com	masitian/infor	mation or	ingredients
DECTION 3	CUII		mauvii vi	I III ZI CUICIICS

3.2 Chemical characterisation: Mixtures

Description: Mixtu	re: consisting of	the following components.	
Ingredients accord	ling Regulation ((EU) 830/2015:	
CAS: 900185-23-1	Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivatives, calcium salts (2:1) Skin Sens. 1, H317; Aquatic Chronic 4, H413		
Polymer	Calcium long chain alkaryl sulfonate		0.1-≤2.5%
•	Aquatic Chronic		
Ingredients			
CAS: 64742-54-7 EINECS: 265-157- Index number: 649- Reg.nr.: 01-211948	467-00-8	Distillates (petroleum), hydrotreated heavy paraffinic	50-100%
CAS: 90480-91-4 EINECS: 291-829-9		Phenol, 2,2'-polythiobis[4- C8-30-alkyl derivs., calcium salts, overbased	0.1-≤2.5%
Reg.nr.: 01-2119524004-56-XX	4004-30-AAAA	1	0.1 2.50/
		Alkaryl amine Aquatic Chronic 4, H413	0.1-≤2.5%
		Long Chain Alkyl Phenol	0.1-≤2.5%
		Skin Irrit. 2, H315; Aquatic Chronic 4, H413	
		Calcium long chain alkyl phenol	0.1-≤2.5%
		Skin Irrit. 2, H315; Aquatic Chronic 4, H413	
Polymer		Polyolefin polyamine succinimide	0.1-≤2.5%
		Aquatic Chronic 4, H413	
CAS: 15220-87-8		1-Propene, pentamer	<0.1%
Polymer		♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411	
,		Branched alkylphenol and Calcium branched alkylphenol Repr. 1B, H360; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319	<0.1%

Additional information:

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract.

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS VLS/25 SAE 50

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

Wash contaminated clothing before use.

If skin irritation continues, consult a doctor.

After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon dioxide (CO2)

Carbon monoxide (CO)

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel

Caution for slippery surfaces.

Avoid contact with spilled material.

Keep away from ignition sources.

6.1.2 For emergency responders

Use antistatic and slip resistant boots.

Stop further leakage, if possible.

Use chemicals resistant gloves.

(Contd. on page 4)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS VLS/25 SAE 50

(Contd. of page 3)

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Information about fire - and explosion protection: Keep away from heat, sparks, open flames and hot surfaces.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

It is recommended that the product is stored and handled in closed systems.

Personal protective equipment

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.

Protection of hands:



Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Revision: 08.06.2016 Version number 1 Printing date 08.06.2016

Trade name: NAUTILUS VLS/25 SAE 50

Penetration time of glove material

(Contd. of page 4)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. **Eye protection:**





Goggles recommended during refilling

Body protection:



Protective work clothing

9.1 Information on basic physical a	and chemical properties	
General Information		
Appearance:	T::1	
Form: Colour:	Liquid brown	
Colour: Odour:	Oil	
Odour threshold:	Not determined	
	Not determined	
pH value:	Not determined Not determined	
Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined	
8 8 8		
Flash point:	250 °C	
Flammability (solid, gaseous):	Not applicable	
Auto-ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidising properties	Not considered as oxidising.	
Vapour pressure:	Not determined	
Density:	0,909 g/cm ³	
Relative density	Not determined	
Vapour density	Not determined	
Evaporation rate	Not determined	
Solubility in / Miscibility with		
water:	Not miscible	
aliphatic hydrocarbons:	Fully miscible.	
aromatic hydrocarbons:	Fully miscible.	

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS VLS/25 SAE 50

(Contd. of page 5)

Partition coefficient (n-octanol/water): Not determined

Viscosity:

Dynamic:Not determined

Kinematic at 40 °C:

Kinematic viscosity at 100 °C

19.9 cSt

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

Avoid heat, sparkles, naked flame or other sources of ignition.

Oxidising agents

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects

(Contd. on page 7)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS VLS/25 SAE 50

(Contd. of page 6)

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

In case of dicarding waste oil, according European Directive 75/439/EEC, recycling of the product is recomended. Disposal of large amounts must carried out from qualified, authorized body.



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
UN "Model Regulation":	Void	

— GE

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS VLS/25 SAE 50

(Contd. of page 7)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

GB