

**Safety data sheet**  
complying with Regulation 1907/2006/EC (REACH Regulation),  
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 28.08.2020

Version number 2

Revision: 28.08.2020

\* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** CYCLON POSEIDON SX 40

**Description / Product Code:** FORMULA ID 33

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture:** Lubricant

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica , 193 00

Tel.: 210 - 809 3900

Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

**1.4 Emergency telephone number:**



European Emergency Tel.: 112

\* **SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation EC No 1272/2008 CLP:**



GHS08 health hazard

Repr. 1B H360 May damage fertility or the unborn child.

**2.2 Label elements**

**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:**



GHS08

**Signal word:** Danger

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 28.08.2020

Version number 2

Revision: 28.08.2020

Trade name: CYCLON POSEIDON SX 40

(Contd. of page 1)

**Hazard-determining components of labelling:**

Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50

**Hazard statements:**

H360 May damage fertility or the unborn child.

**Precautionary statements**

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

Restricted to professional users.

**2.3 Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.



**vPvB:** Not applicable.

\* **SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures****Description:**

Lubricant

Mixture consisting of the following dangerous ingredients:

**Ingredients according Regulation (EU) 830/2015:**

CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic  Asp. Tox. 1, H304	≤98%
EC number: 701-251-5 Reg.nr.: 01-2119524004-56-XXXX	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50  Repr. 1B, H360; Aquatic Chronic 4, H413	≥0.3-≤2.5%

**Additional information:**

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) contains less than 3 % DMSO extract.

For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

**General information:** Take affected persons out into the fresh air.

**After inhalation:** Seek medical treatment in case of complaints.

(Contd. on page 3)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 28.08.2020

Version number 2

Revision: 28.08.2020

Trade name: CYCLON POSEIDON SX 40

(Contd. of page 2)

**After skin contact:**

Wash the skin immediately with soap and water.

If skin irritation continues, consult a doctor.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

**After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

**4.2 Most important symptoms and effects, both acute and delayed** Not known or expected results.**4.3 Indication of any immediate medical attention and special treatment needed**

No special measures are required.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fire with foam.**5.2 Special hazards arising from the substance or mixture**In a fire nitrogen oxides (NO<sub>x</sub>), carbon monoxide (CO), sulfur dioxide (SO<sub>2</sub>) can be released.Carbon dioxide (CO<sub>2</sub>)**5.3 Advice for firefighters****Protective equipment:** Use of protective clothes and respiratory device is being recommended in case of fire.**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:****6.1.1 For non-emergency personnel**

Keep away from ignition sources.

Caution for slippery surfaces.

**6.1.2 For emergency responders**

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

**6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Prevent from spreading (e.g. by damming-in or oil barriers).

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling** No special precautions are necessary if used correctly.**Information about fire - and explosion protection:**

Keep away from sources of ignition and flammable materials.

(Contd. on page 4)

GB

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 28.08.2020

Version number 2

Revision: 28.08.2020

Trade name: CYCLON POSEIDON SX 40

(Contd. of page 3)

**7.2 Conditions for safe storage, including any incompatibilities****Storage:**

Store in cool, dry conditions in well sealed receptacles.  
 Protect from heat and direct sunlight.

**Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**7.3 Specific end use(s)** No further relevant information available.\* **SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**8.2 Exposure controls****8.2.1. Appropriate engineering controls**

It is recommended that the product is stored and handled in closed systems.  
 Provide adequate ventilation.

**Personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Wash hands before breaks and at the end of work.  
 Store protective clothing separately.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 28.08.2020

Version number 2

Revision: 28.08.2020

Trade name: CYCLON POSEIDON SX 40

(Contd. of page 4)

**Eye protection:**

Safety glasses

**Body protection:**

Protective work clothing

\* **SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	brown
<b>Odour:</b>	Oil
<b>Odour threshold:</b>	Not determined

**pH value:** Not determined

**Melting point/freezing point:** Not determined

**Initial boiling point and boiling range:** Not determined

**Flash point:** >200 °C

**Flammability (solid, gas):** Not applicable

**Auto-ignition temperature:** Not determined

**Decomposition temperature:** Not determined

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

**Explosion limits:**

**Lower:** Not determined

**Upper:** Not determined

**Oxidising properties:** Not considered as oxidising.

**Vapour pressure:** Not determined

**Density:** >0.897 g/cm<sup>3</sup>

**Relative density:** Not determined

**Vapour density:** Not determined

**Evaporation rate:** Not determined

**Solubility in / Miscibility with**

**water:** Not miscible

**aliphatic hydrocarbons:** Fully miscible.

(Contd. on page 6)

—GB—

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 28.08.2020

Version number 2

Revision: 28.08.2020

Trade name: CYCLON POSEIDON SX 40

(Contd. of page 5)

**aromatic hydrocarbons:** Fully miscible.**Partition coefficient: n-octanol/water:** Not determined**Viscosity:****Dynamic:** Not determined**Kinematic at 40 °C:** >80 cSt**Kinematic viscosity at 100 °C** 14 cSt**9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity** Stable under normal conditions**10.2 Chemical stability****Thermal decomposition / conditions to be avoided**

No decomposition if used and stored according to specifications.

Stable at environment temperature.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** Oxidising agents**10.5 Incompatible materials** No further relevant information available.**10.6 Hazardous decomposition products** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity** Based on available data, the classification criteria are not met.**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Repeated dose toxicity** Based on available data, the classification criteria are not met.**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Repr. 1B

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity**

The product is classified as toxic to Reproduction Category 1B.

May damage fertility or the unborn child.

**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

(Contd. on page 7)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 28.08.2020

Version number 2

Revision: 28.08.2020

Trade name: CYCLON POSEIDON SX 40

(Contd. of page 6)

**12.6 Other adverse effects**

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.

**Waste disposal key:** 13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

**Uncleaned packaging:****Recommendation:**

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

**SECTION 14: Transport information****14.1 UN-Number**

ADR, ADN, IMDG, IATA Void

**14.2 UN proper shipping name**

ADR, ADN, IMDG, IATA Void

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA

Class Void

**14.4 Packing group**

ADR, IMDG, IATA Void

**14.5 Environmental hazards:** Not applicable.

**14.6 Special precautions for user** Not applicable.

**14.7 Transport in bulk according to Annex II of**

**Marpol and the IBC Code** Not applicable.

**UN "Model Regulation":** Void

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Note L applies. DMSO content is below 3%.

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

(Contd. on page 8)



**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 28.08.2020

Version number 2

Revision: 28.08.2020

Trade name: CYCLON POSEIDON SX 40

(Contd. of page 7)

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**National regulations:** No further information available.

**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H304 May be fatal if swallowed and enters airways.

H360 May damage fertility or the unborn child.

H413 May cause long lasting harmful effects to aquatic life.

**Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Repr. 1B: Reproductive toxicity – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

**\* Data compared to the previous version altered.**