

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name: POSEIDON HT/4030

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture:** Lubricant

**1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:** LPC S.A. Megaridos Avenue 124 Aspropyrgos - Attica , 193 00 Tel.: 210 - 809 3900 Fax: 210 - 809 3999 e-mail: technical@cyclon.gr

### 1.4 Emergency telephone number:



Emergency telephone number: 112

### **SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:** Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

### Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation. Hazard pictograms: Void

Signal word: Void

Hazard statements: H412 Harmful to aquatic life with long lasting effects.

Precautionary statements
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

(Contd. on page 2)

GB

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4030

(Contd. of page 1)

### **SECTION 3: Composition/information on ingredients 3.2** Chemical characterisation: Mixtures Description: Mixture of substances listed below with nonhazardous additions. Ingredients according Regulation (EU) 830/2015: CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic 60-90% EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX Polymer Calcium long chain alkaryl sulfonate 2.5-<10% Aquatic Chronic 4, H413 CAS: 68649-42-3 Zinc alkyl dithiophosphate 0.1-<1% EINECS: 272-028-3 📀 Eye Dam. 1, H318; 🚯 Aquatic Chronic 2, H411 Reg.nr.: 01-2119493635-27-XXXX Polymer Polyolefin polyamine succinimide 0.1-<2.5% Aquatic Chronic 4, H413 CAS: 90480-91-4 Phenol, 2,2'-polythiobis[4- C8-30-alkyl derivs., calcium 0.1-≤2.5% salts, overbased EINECS: 291-829-9 Reg.nr.: 01-2119524004-56-XXXX Aquatic Chronic 4, H413 Branched alkylphenol and Calcium branched alkylphenol CAS: 74499-35-7 0.25-<0.3% 🚸 Repr. 1B, H360; 🚯 Aquatic Chronic 1, H410; 🗘 Skin Irrit. 2, H315; Eye Irrit. 2, H319 Calcium long chain alkaryl sulfonate CAS: 722503-68-6 < 0.1% Polymer V Skin Sens. 1, H317; Aquatic Chronic 4, H413 CAS: 107-21-1 ethanediol < 0.1% EINECS: 203-473-3 STOT RE 2, H373; 😲 Acute Tox. 4, H302 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-XXXX CAS: 15220-87-8 1-Propene, pentamer < 0.1% Polvmer 🚸 Asp. Tox. 1, H304; 🕸 Aquatic Chronic 2, H411

### Additional information:

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract. For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Seek medical treatment in case of complaints.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Avoid strong water jet-risk of cornea damage, consult a doctor.

### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

(Contd. of page 2)

### Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4030

### 4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam. 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) 5.3 Advice for firefighters Protective equipment: Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures:

### 6.1.1 For non-emergency personnel

Keep away from ignition sources.

Caution for slippery surfaces.

6.1.2 For emergency responders Stop further leakage, if possible.

### **6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

Prevent from spreading (e.g. by damming-in or oil barriers).

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

### 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection:

Keep away from sources of ignition and flammable materials.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4030

(Contd. of page 3)

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:			
107-21-1 ethanediol (<0.1%)			
WEL (Great Britain)	Short-term value: 104** mg/m <sup>3</sup> , 40** ppm Long-term value: 10* 52** mg/m <sup>3</sup> , 20** ppm Sk *particulate **vapour		
IOELV (EU)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm Skin		

### 8.2 Exposure controls

**8.2.1.** Appropriate engineering controls Use of local ventilation is advised.

### Personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required. Protection of hands:



Protective gloves

### Eye protection:



Goggles recommended during refilling

Body protection: Oil resistant protective clothing

SECTION 9: Physical and chemic	al properties
9.1 Information on basic physical	and chemical properties
General Information	
Appearance:	
Form:	Liquid
Colour:	brown
Odour:	Oil
Odour threshold:	Not determined
pH value:	Not determined
Melting point/Melting range:	Not determined
<b>Boiling point/Boiling range:</b>	Not determined
Flash point:	252 °C
Flammability (solid, gaseous):	Not applicable
Auto-ignition temperature:	Not determined
<b>Decomposition temperature:</b>	Not determined
	(Contd. on page 5

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4030

	(Contd	. of pag
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidising properties	Not considered as oxidising.	
Vapour pressure:	Not determined	
Density:	0,9 g/cm <sup>3</sup>	
Relative density	Not determined	
Vapour density	Not determined	
Evaporation rate	Not determined	
Solubility in / Miscibility with		
water:	Not miscible	
aliphatic hydrocarbons:	Fully miscible.	
aromatic hydrocarbons:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic at 40 °C:	138 cSt	
Kinematic viscosity at 100 °C	14 cSt	
9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

10.1 Reactivity Stable under normal conditions

**10.2** Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

**11.1 Information on toxicological effects** 

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4030

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 5)

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability No further relevant information available.
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Harmful to fish
Additional ecological information:
General notes:
The product contains materials that are harmful to the environment.
Harmful to aquatic organisms

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

### **SECTION 13: Disposal considerations**

# **13.1** Waste treatment methods Recommendation



Dispose according to National Regulations.

### Uncleaned packaging: Recommendation:

Disposal must be made according to official regulations. Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
		(Contd. on page 7)

Printing date 08.06.2016	Version number 1	Revision: 08.06.2016
Trade name: POSEIDON HT/4030		
		(Contd. of page 6)
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to An Marpol and the IBC Code	nex II of Not applicable.	
UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

Note L applies. DMSO content is below 3%.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Relevant phrases**

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

(Contd. on page 8)

GB —

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

# Trade name: POSEIDON HT/4030

T · · · · · /	(Contd. of page 7)
Training hints	
Suitable training on safety in handling, storing and converting the product should be gi	iven to the employees based
on all the existing information.	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreemen	t concerning the International
Carriage of Dangerous Goods by Road)	
MDG: International Maritime Code for Dangerous Goods	
ATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
Repr. 1B: Reproductive toxicity, Hazard Category 1B	
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2	
Asp. Tox. 1: Aspiration hazard, Hazard Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3	
Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4	