



Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: NAUTILUS LS 50

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Lubricant

# 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica, 193 00

Tel.: 210 - 809 3900 Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

# 1.4 Emergency telephone number:



Emergency telephone number: 112

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



GHS08 health hazard

Repr. 1B H360 May damage fertility or the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

# Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

#### **Hazard pictograms:**



GHS08

Signal word: Danger

# Hazard-determining components of labelling:

Branched alkylphenol and Calcium branched alkylphenol

(Contd. on page 2)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS LS 50

(Contd. of page 1)

#### **Hazard statements:**

H360 May damage fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### **Additional information:**

EUH208 Contains Calcium long chain alkaryl sulfonate. May produce an allergic reaction.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Ingredients according Regulation (EU) 830/2015:			
Polymer	Calcium long chain alkaryl sulfonate	2.5-<10%	
	Aquatic Chronic 4, H413		
CAS: 90480-91-4 EINECS: 291-829-9	Phenol, 2,2'-polythiobis[4- C8-30-alkyl derivs., calcium salts, overbased	2.5-<10%	
Reg.nr.: 01-2119524004-56-XXXX	Aquatic Chronic 4, H413		
CAS: 74499-35-7	Branched alkylphenol and Calcium branched alkylphenol	0.3-<1%	
	Repr. 1B, H360; Aquatic Chronic 1, H410; Skin Irrit 2, H315; Eye Irrit. 2, H319		
CAS: 722503-68-6	Calcium long chain alkaryl sulfonate	0.1-<1%	
Polymer	Skin Sens. 1, H317; Aquatic Chronic 4, H413		
Ingredients		<u> </u>	

Ingredients		
CAS: 64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	60-90%
EINECS: 265-157-1		
Index number: 649-467-00-8		
Reg.nr.: 01-2119484627-25-XXXX		

#### **Additional information:**

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

(Contd. on page 3)

(Contd. of page 2)

# Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS LS 50

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

Wash contaminated clothing before use.

If skin irritation continues, consult a doctor.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

#### After swallowing:

Never give anything by mouth to an unconscious person.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

# 4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

# **5.3 Advice for firefighters**

#### **Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

## **6.1.1 For non-emergency personnel**

Use personal protective equipment.

Caution for slippery surfaces.

#### **6.1.2** For emergency responders

Use safety goggles, in case of contact with the eyes.

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

Use self-contained breathing apparatus and protective clothing.

#### **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Send for recovery or disposal in suitable receptacles.

# 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB ·

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS LS 50

(Contd. of page 3)

#### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Open and handle receptacle with care.

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Handle with proper industrial hygiene and safety precautions.

Ensure immediate removal from skin eyes and clothing.

Wash hands and other exposed areas with a soft soap and water before eating, drinking or smoking and living from work.

# Information about fire - and explosion protection:

Keep away from sources of ignition and flammable materials.

Keep respiratory protective device available.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage:**

#### Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

**Information about storage in one common storage facility:** Store away from foodstuffs.

#### **Further information about storage conditions:**

Keep container tightly sealed.

Store under lock and key and with access restricted to technical experts or their assistants only.

Store under lock and key and out of the reach of children.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### 8.2 Exposure controls

# 8.2.1. Appropriate engineering controls

It is recommended that the product is stored and handled in closed systems.

#### Personal protective equipment

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

# **Respiratory protection:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS LS 50

#### **Protection of hands:**





Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

# **Eye protection:**



Goggles recommended during refilling

#### **Body protection:**



Protective work clothing

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties General Information		
Appearance:		
Form:	Liquid	
Colour:	brown	
Odour:	Oil	
Odour threshold:	Not determined	
pH value:	Not determined	
Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	Not determined	
Flash point:	245 °C	
Flammability (solid, gaseous):	Not applicable	
Auto-ignition temperature:	Not determined	
<b>Decomposition temperature:</b>	Not determined	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

(Contd. on page 6)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS LS 50

(Contd. of page 5) **Explosion limits:** Not determined Lower: Not determined Upper: **Oxidising properties** Not considered as oxidising. Not determined Vapour pressure: 0,909 g/cm<sup>3</sup> **Density:** Relative density Not determined Not determined Vapour density **Evaporation rate** Not determined Solubility in / Miscibility with water: Not miscible aliphatic hydrocarbons: Fully miscible. aromatic hydrocarbons: Fully miscible. Partition coefficient (n-octanol/water): Not determined **Viscosity: Dynamic:** Not determined 220 cSt Kinematic at 40 °C: 19,5 cSt Kinematic viscosity at 100 °C 9.2 Other information No further relevant information available.

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity Stable under normal conditions
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat, flames and othe sources of ignition.
- 10.5 Incompatible materials Strong oxidising substances.
- 10.6 Hazardous decomposition products No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Repr. 1B

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity

May damage fertility or the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

GB ·

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS LS 50

(Contd. of page 6)

#### **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available. **12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**Ecotoxical effects: Remark:** Harmful to fish

Additional ecological information:

**General notes:** 

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable. 12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packaging:**

# **Recommendation:**

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

# **SECTION 14: Transport information**

14.1 UN-Number

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

(Contd. on page 8)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS LS 50

		(Contd. of page
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

# Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

**National regulations:** 

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

#### Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

(Contd. on page 9)

Printing date 08.06.2016 Version number 1 Revision: 08.06.2016

Trade name: NAUTILUS LS 50

### Abbreviations and acronyms:

(Contd. of page 8)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Repr. 1B: Reproductive toxicity, Hazard Category 1B

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

GB