

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** MAGMA SYN T-FE 0W-16**Description / Product Code:** FORMULA ID: 51**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture: Lubricant**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Company responsible for the placing on the market:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica , 193 00

Tel.: 210 - 809 3900

Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

1.4 Emergency telephone number:

European Emergency Tel.: 112

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms: Void**Signal word:** Void**Hazard statements:**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT: Not applicable.**vPvB:** Not applicable.

(Contd. on page 2)

Safety data sheet

complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 1)

Determination of endocrine-disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

CAS: 121158-58-5 EC number: 310-154-3 Index number: 604-092-00-9 Reg.nr.: 01-2119513207-49-XXXX	phenol, dodecyl-, branched ⚠ Repr. 1B, H360F; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ED HH 1, EUH380; ED ENV 1, EUH430 Substance identified as having endocrine disrupting properties (I)	≥0.01-<0.05%
--	---	--------------

SVHC

This product does not contain candidate substances of very high concern at a concentration ≥0.1% (Regulation (EC) No 1907/2006 (REACH), Article 59)

Additional information:

The base oils of the product contain <3% DMSO extract (IP 346).

In accordance with Regulation (EC) No 1272/2008, Note L, reference IP 346/92: 'Dimethyl sulfoxide (DMSO) extraction method', it was determined that the base oils used in this preparation are not carcinogenic.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

In case of discomfort call a doctor.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Immediately rinse the eyes with plenty of water, alternately lifting the upper and lower eyelids.

Check and remove contact lenses if any.

Continue to rinse for at least 15 minutes.

Seek medical attention if irritation occurs.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Consult the doctor immediately and show the label or this Safety Data Sheet.

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 2)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fire with foam.**5.2 Special hazards arising from the substance or mixture**In a fire it is possible to release nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂) & sulphur dioxide (SO₂).**5.3 Advice for firefighters****Protective equipment:**

Mouth respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Keep away from ignition sources.

Avoid contact with skin and eyes.

Use Personal Protective Equipment.

6.1.1 For non-emergency personnel Caution for slippery surfaces.**6.1.2 For emergency responders**

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Open and handle receptacle with care.

Avoid contact with the eyes and skin

Do not eat, drink or smoke when using this product.

Wash your hands and face after using the product.

Information about fire - and explosion protection:

Keep away from heat, sparks, open flames and hot surfaces.

(Contd. on page 4)

Safety data sheet

complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in well-sealed containers and in well-ventilated areas. Keep it cool.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Stored away from oxidizing agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 122-39-4 diphenylamine

WEL (Great Britain)	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
---------------------	---

DNELs

(CAS: 121158-58-5) phenol, dodecyl, branched

Workers:

Inhalation - Long-term systemic effect: 1.762 mg/m³

Inhalation - Short-term local effect: 44.18 mg/m³

Dermal - Long-term systemic effect: 0.25 mg/kg bw/d

Dermal - Short-term local effect: 166 mg/kg bw/d

Consumers:

Inhalation - Long-term systemic effect: 0.79 mg/m³

Inhalation - Short-term local effect: 13.26 mg/m³

Dermal - Long-term systemic effect: 0.075 mg/kg bw/d

Dermal - Short-term local effect: 50 mg/kg bw/d

Oral - Long-term systemic effect: 0.075 mg/kg bw/d

Oral - Short-term local effect: 1.26 mg/kg bw/d

PNECs

(CAS: 121158-58-5) phenol, dodecyl, branched

Fresh water: 0.074 µg/L

Marine water: 0.007 µg/L

STP: 100 µg/L

Freshwater sediment: 0.226 mg/kg sediment dw

Marine water sediment: 0.027 mg/kg sediment dw

Soil: 0.118 mg/kg soil dw

Secondary poisoning: 4 mg/kg food

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Avoid contact with skin and eyes.

Do not eat, drink or smoke while using the product.

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 4)

Remove contaminated clothes and wash before reusing them.

Wash hands before breaks and at the end of work.

Respiratory protection:


In case of insufficient ventilation, use a respirator.

Hand protection


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection


Goggles recommended during refilling

Body protection:


Oil resistant protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information
Physical state

Liquid

Colour:

brown

Odour:

Characteristic of lubricants

Odour threshold:

Not determined

Melting point/freezing point:

Not determined

Boiling point or initial boiling point and boiling range

Not determined

Flammability

Not applicable

(Contd. on page 6)

Safety data sheet

complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 5)

Lower and upper explosion limit

Lower: Not determined

Upper: Not determined

Flash point: 205 °C

Auto-ignition temperature: Not specified

Decomposition temperature: Not determined

pH Not determined

Viscosity:

Kinematic viscosity at 40 °C 36 mm²/s

Dynamic: Not determined

Solubility

water: Not miscible

halogenated solvents

aliphatic hydrocarbons: Fully miscible.

aromatic hydrocarbons: Fully miscible.

Partition coefficient n-octanol/water (log value) Not determined

Vapour pressure: Not determined

Density and/or relative density

Density at 20 °C: 0.84 g/cm³

Relative density Not determined

Vapour density Not determined

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition Not applicable

Fusion temperature / range: Not applicable

Oxidising properties Not oxidising

Evaporation rate Not determined

Information with regard to physical hazard classes

Explosives Void

Flammable gases Void

Aerosols Void

Oxidising gases Void

Gases under pressure Void

Flammable liquids Void

Flammable solids Void

Self-reactive substances and mixtures Void

Pyrophoric liquids Void

Pyrophoric solids Void

Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water Void

Oxidising liquids Void

(Contd. on page 7)

Safety data sheet

complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 6)

Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Oxidising agents

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products

Nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂) & sulfur dioxide (SO₂).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

(CAS: 121158-58-5) phenol, dodecyl, branched.

LD50 - Mouth - Rat: 2100 mg/kg bw , Method:OECD 401.

LD50 - Skin - Rat: 15000 mg/kg bw , Method:OECD 402.

NOAEL (Mouth, Rat, 90 days):15 mg/kg bw/day, Method: (OECD 416).

NOAEL (Subacute, Oral, Animal/male, 28 days): 60 mg/kg bw Method:(OECD 407).

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

None of the ingredients is listed.

EN

(Contd. on page 8)

Safety data sheet

complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 7)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

(CAS: 121158-58-5) phenol, dodecyl, branched

Toxicity to fish

LC50 (Fathead Minnow, 4 d): 40 mg/l

Toxicity to aquatic invertebrates

EC50 (Water flea (Daphnia magna), 2 d): 0.037 mg/l

EC50 (Shrimp (Mysidopsis Bahia), 4 d): >0.58 mg/l

EC50 (Water flea (Daphnia magna), 21 d): 0.0079 mg/l

NOEC (Water flea (Daphnia magna), 21 d): 0.0037 mg/l

Toxicity to aquatic plants

EC50 (Green algae (Scenedesmus quadricauda), 72 h): 0.36 mg/l

Toxicity to micro-organisms

EC50 (Sludge, 0.1 d): >1,000 mg/l

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

The product does not contain ingredients that are considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative at levels of 0.1% or higher according to REACH, Annex XIII.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

12.7 Other adverse effects

Remark: Harmful to fish

Additional ecological information:

General notes:

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms


SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 8)

Contact manufacturer for recycling information.

Waste disposal key: 13 02 06* synthetic engine, gearbox and lubricating oils

European waste catalogue

HP14 Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number	Unenforceable. Not classified as dangerous for transport.
------------------------------------	---

ADR, ADN, IMDG, IATA	Void
-----------------------------	------

14.2 UN proper shipping name	Void
ADR, ADN, IMDG, IATA	

14.3 Transport hazard class(es)	Void
ADR, ADN, IMDG, IATA	
Class	

14.4 Packing group	Void
ADR, IMDG, IATA	

14.5 Environmental hazards:	No
Marine pollutant:	

14.6 Special precautions for user	Not applicable.
--	-----------------

14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
---	-----------------

UN "Model Regulation":	Void
-------------------------------	------

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note L applies. The DMSO content is less than 3% (IP 346).

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU
Named dangerous substances - ANNEX I

None of the ingredients is listed.

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 9)

The substance is not included in Annex I.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148
Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations: None

Other regulations, limitations and prohibitive regulations
Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

EUH380 May cause endocrine disruption in humans.

EUH430 May cause endocrine disruption in the environment.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H360F May damage fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008

Hazardous to the aquatic environment - long-term
(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 11)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 23.07.2024

Version number 2 (replaces version 1)

Revision: 23.07.2024

Trade name: MAGMA SYN T-FE 0W-16

(Contd. of page 10)

Department issuing SDS:

SUSTCHEM S.A.
REACH & Chemical Services Department
A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece
T: +30 210 8252510 | F: +30 210 8252575
W: www.sustchem.gr | E: info@suschem.gr

Version number of previous version: 1**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

— EN —