

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: GEAR SYN G XL 75W-80

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture:** Lubricant

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LPC S.A.
Megaridos Avenue 124
Aspropyrgos - Attica, 193 00
Tel.: 210 - 809 3900
Fax: 210 - 809 3999
e-mail: technical@cyclon.gr
1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



Eye Irrit. 2H319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP: The product is classified and labelled according to the CLP regulation. **Hazard pictograms:**



Signal word: Warning

Hazard-determining components of labelling: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) 2-ethylhexyl methacrylate

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

Trade name: GEAR SYN G XL 75W-80

(Contd. of page 1)

Hazard statements:

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

Precautionary statements

i i ccaationar y sta	tements		
P102	Keep out of reach of children.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P501	Dispose of contents/container in accordance with local/regional/national/international		
	regulations.		
2.3 Other hazards			

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 830/2015:				
CAS: 368782-02-3 EINECS: 253-249-4 Reg.nr.: 01-2119488911-28-XXXX	bis(nonylphenyl)amine Aquatic Chronic 4, H413	0.1-≤2.5%		
EC number: 931-384-6 Reg.nr.: 01-2119493620-38-XXXX	Reaction products of bis(4-methylpentan-2-yl) dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1, H317	1-≤2.5%		
CAS: 688-84-6 EINECS: 211-708-6 Reg.nr.: 01-2119490166-35-XXXX	2-ethylhexyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT SE 3, H335; Aquatic Chronic 3, H412	0.1-<1%		
Ingredients				
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	50-100%		
	Mineral oil	2.5-<10%		
CAS: 91648-65-6 EINECS: 293-927-7 Reg.nr.: 01-2119976351-35-XXXX	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol Aquatic Chronic 3, H412	0.1-≤2.5%		

Additional information:

The classification as a carcinogen does not need to apply because the substance Lubricating oils (petroleum), C20-50 hydrotreated neutral oil-based (cas number: 72623-87-1) contains less than 3 % DMSO extract. For the wording of the listed risk phrases refer to section 16.

(Contd. on page 3)

GB

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

Trade name: GEAR SYN G XL 75W-80

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air. Seek immediate medical advice

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Wash the skin immediately with soap and water.

Remove contaminated clothing.

Wash contaminated clothing before use.

If skin irritation continues, consult a doctor.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

- 4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.
- 4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam.
5.2 Special hazards arising from the substance or mixture
In case of fire, the following can be released:
Carbon dioxide (CO2)
Carbon monoxide (CO)
5.3 Advice for firefighters
Protective equipment:
Self contained breathing apparatus and full protective clothing must be worn in case of fire.
Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel

Caution for slippery surfaces.

Avoid contact with spilled material. Keep away from ignition sources.

6.1.2 For emergency responders

Use antistatic and slip resistant boots.

Stop further leakage, if possible.

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

Trade name: GEAR SYN G XL 75W-80

(Contd. of page 3)

Use chemicals resistant gloves.
Wear protective equipment. Keep unprotected persons away.
Use safety goggles, in case of contact with the eyes. **6.2 Environmental precautions:**Prevent from spreading (e.g. by damming-in or oil barriers).
Do not allow to enter sewers/ surface or ground water. **6.3 Methods and material for containment and cleaning up:**Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel). **6.4 Reference to other sections:**See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Information about fire - and explosion protection: Keep away from heat, sparks, open flames and hot surfaces. **7.2 Conditions for safe storage, including any incompatibilities**

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

It is recommended that the product is stored and handled in closed systems.

Personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.

Protection of hands:



Protective gloves

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

Trade name: GEAR SYN G XL 75W-80

Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. Eye protection:



Tightly sealed goggles

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical a General Information	and chemical properties	
Appearance: Form: Colour: Odour: Odour:	Liquid brown Oil Not determined	
pH value: Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined Not determined	
Flash point:	234 °C	
Flammability (solid, gaseous):	Not applicable	
Auto-ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper: Oxidising properties	Not determined Not determined Not considered as oxidising.	
Vapour pressure:	Not determined	
Density: Relative density Vapour density Evaporation rate	0,858 g/cm ³ Not determined Not determined Not determined	
		(Contd. on page

Printing date 10.05.2016	Version number 1	Revision: 10.05.2016
Trade name: GEAR SYN G XL 75W-8	30	
		(Contd. of page 5)
Solubility in / Miscibility with		
water:	Not miscible	
aliphatic hydrocarbons:	Fully miscible.	
aromatic hydrocarbons:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic at 40 °C:	57 cSt	
Kinematic viscosity at 100 °C	9,6 cSt	
9.2 Other information	No further relevant information availab	ole.

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Oxidising agents

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

Trade name: GEAR SYN G XL 75W-80

12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

In case of dicarding waste oil, according European Directive 75/439/EEC, recycling of the product is reccomended. Disposal of large amounts must carried out from qualified, authorized body.



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.		
UN "Model Regulation":	Void	

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

Trade name: GEAR SYN G XL 75W-80

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH Regulation 1907/2006/EC Regulation (EU) 2015/830 CLP Regulation 1272/2008/EC Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)registered from their suppliers.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

Trade name: GEAR SYN G XL 75W-80

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4